

كلية التربية الاساسية – الجامعة المستنصرية

Journal of the College of Basic Education Vol.31 (NO. 131) 2025, pp. 55-80

Synthesis, Characterization, Antimicrobial activty and Antioxidant Activity of Some Metal Complexes with 4-((4-bromobenzylidene)amino)-5-(pyridin-4-yl)-4H-1,2,4-triazole-3-thiol Amna Ali Shnati, Prof Dr.Mahmoud Najim Al-Jibouri, Assistant Prof. Najlaa Q.Muftin

Mustansiriyah University,College of Science,Chemistry Department, Iraq,Baghdad

Author Corresponding: <a href="mailto:mailto

Abstract:

The work describes the synthesis and spectral investigation of Co (II), Ni (II), Cu (II), and Zn (II) complexes with 4-((4-bromobenzylidene)amino)-5-(pyridin-4-yl)-4H-1,2,4-triazole-3-thiol (L). The new ligand was synthesized through three successive steps: first, the preparation of the potassium salt of isoniazid with an alkaline solution of carbon disulfide; second, the ring closure of the potassium salt with an excess of hydrazine hydrate; and finally, the last step involved the condensation of 4-amino-1,2,4-triazole with 4bromobenzaldehyde in glacial acetic acid as a catalyst to afford a good yield of the new Schiff base, L. The physical and spectroscopic properties of the ligand and its complexes were well studied. The ligand L has been used to synthesize new complexes of Co (II), Ni (II), Cu (II), and Zn (II), which have been characterized by using different techniques, such as FT-IR, UV-Vis, and 13C-NMR spectrophotometric techniques, as well as 1H-NMR. elemental analysis C.H.N.S. and flam atomic absorption FAA. The physicochemical properties, such as melting point, magnetic susceptibility, and molar conductivity at room temperature, were determined. The synthesized complexes C1, C2, and C3 have taken the octahedral geometry in a mole ratio (1:1) of M: L and behave as bidentate ligands that attach to metal ions through the N atom of azomethine and the S atom in the thione group. The metal complexes displayed an octahedral geometry around bivalent cobalt, nickel, copper (II), and zinc (II) tetrahedral environments. Moreover, the biological activity of free ligand and its metal complexes solutions (CoL and CuL) was screened against some bacteria and fungi. The free ligand and CuL were more active against bacteria and fungi than CoL. These results can provide an important platform for the design of new compounds with antibacterial and antifungal activity.



حلة كلبة التربية الاساسية

Journal of the College of Basic Education

Vol.31 (NO. 131) 2025, pp. 55-80

As well as this, the study included examining the antioxidant activity of the synthesized metal complexes (ZnL and CuL) using DPPH assay against ascorbic acid as a reference antioxidant agent. The results showed that all the synthesized metal complexes have antioxidant activity but lower than ascorbic acid. As well as the zinc (II) complex, it was found to have higher antioxidant activity than the Cu (II) complex. The highest free radical scavenging capacity of the zinc (II) complex and Cu (II) complex at 500 μ g/ml were 75.670 % and 69.409%, respectively.

Key words: Antioxidant activity of triazole, metal complexes of triazole, biological activity of triazole.

1. Introduction

Triazole, which was first coined by Bladin in 1885, is a crystalline solid ranging from white to pale yellow in color. It possesses a weak characteristic odor and is soluble in both water and alcohol. Triazole is classified as a triazine compound and belongs to the class of organic heterocyclic compounds [1]. It is characterized by a five-membered diunsaturated ring and has the molecular formula C2H3N3. Notably, triazole exists in two isomeric forms: 1,2,3-triazole and 1,2,4-triazole, which show tautomers with respect to the hydrogen position [2]. The derivatives of 1,2,4-triazole have been exploring great attention in the recent years due to their unique physical and biological properties [3]. They are an attractive class of chemicals with a wide variety of biological properties, including antifungal, anticancer, anti-inflammatory, antibacterial, and antitumor characteristics,[31].

Phung, H. has studied the synthesis and x-ray crystallography of gold (I) complexes featuring 1,2,4-triazole-derived carbenes with the chemical formula [AuCl(Cy-tazy)]. All the complexes have been characterized by elemental multinuclear (ESI) analysis, NMR spectroscopy, mass spectrometry, single crystal X-ray diffraction, and DFT calculations. In addition, all the prepared gold (I) complexes showed high antiproliferative activities against KB, MCF-7, and HT-29 cancerous cell lines [4, 5]. Zilonakhan C. and co-workers have established the synthesis, spectroscopic, and biological assessment of a novel coordination of zinc (II) chelates. The complexes were prepared using N-(1H-1,2,4-triazol-3-yl)acetamide and hydrated zinc(II) chloride, yielding a product characterized by FT-IR, elemental analysis, thermogravimetric analysis (TGA), and single crystal Xray diffraction [6].





Journal of the College of Basic Education

Vol.31 (NO. 131) 2025, pp. 55-80

Antioxidants are an important class of compounds that prevent harmful effects of free radicals in the human body. Antioxidants derived from natural sources are favored over those derived from synthetic sources; however, there are many synthetic compounds reported as efficient antioxidants [9, 10]. 1,2,4-Triazole derivatives have been shown to have antitumor activity toward a number of cancer types. A variety of in vitro investigations have been carried out in recent years for this purpose. It's possible that 1,2,4-triazole derivatives' antioxidant properties are associated with their anticancer properties, [32].

Maddila and Co-workers have recorded the synthesis and antioxidant activity of compounds with phenothiazine bind-substituted benzylideneamino-1,2,4triazole derivatives and assessed their antioxidant activity in vitro by using nitric oxide, hydrogen peroxide, and DPPH radical scavenger assays [11]. Recently, Sumrra et al. [12] have introduced the Schiff base compound 2-{(E)-[(3-{[(Z)-(2-hydroxyphenyl) methylidene] amino}-1H-1,2,4-triazol-5yl) imino] methyl} phenol. With their complexes with Co (II), Ni (II), Cu (II), and Zn (II), they have been evaluated for their antioxidant activity by DPPH assay. Some of these compounds were found to be important scavengers of free radicals. The results showed that the Ni (II) complex demonstrated potent antioxidant activity, more than the reference butylated hydroxytoluene, while the Cu (II), Co (II), and Zn (II) complexes exhibited good scavenging activity but lower than the Ni (II) complex. On the other hand, the free ligand was found to have very low activity compared to BHT. Thus Drawing from the previous studies, our aim was to synthesize new Schiff base metal complexes and investigate their antimicrobial, antifungal, and antioxidant properties.

2. Experimental

2.1 Materials and methods

The starting materials, 4-bromobenzaldehyde, hydrazine hydrate 80%, carbon disulfide, and isoniazid, were supplied from Merck Chemical Company and Santa Cruz Biotechnology companies with 98-99% purity and used without purification. All the chemicals that were used in this work were commercially available and used without further purification. The hydrated metal chlorides of CuCl₂.2H₂O, CoCl₂. 6H₂O and NiCl₂.6H₂O and ZnCl₂ were supplied from Merck, Chemistry Department, College of Science, Mustansiriyah University.



حلة كلبة التربية الاساسية

Journal of the College of Basic Education

Vol.31 (NO. 131) 2025, pp. 55-80

2.2. Physical Measurements

The decomposition points of the prepared triazole precursor, its Schiff base, and its metal complexes were measured by Stuart-SMP30. The vibrational frequencies of the solid-prepared ligands and metal complexes were measured in the region (4000-400) cm⁻¹ on the (8400 S-FT-IR SHIMADZU) spectrometer at Mustansiriyah University, College of Science, Iraq. The chemical formula of the prepared compounds was determined by mass spectra technique with the GC-DIMS QP2010 ultra and Orbitrap LTQ XL-Thermo Fisher scientific mass spectrometer at the University of Tehran, Iran. Furthermore, the NMR spectra of the prepared ligand were measured on a 400 MHz Bruker NMR spectrometer at Basra University, College of Education for Pure Sciences.

2.3. Preparation of 4-amino-5-(pyridin-4-yl)-2,4-dihydro-3H-1,2,4-triazole-3-thione, A2

The precursor 1,2,4-triazole was prepared according to the mentioned method in the literature [16] with minor modification. A mixture of potassium isonicotinic hydrazide salt, A1 (2.53 g, 0.012 mole), with 10 ml (0.015 mole) of hydrazine hydrate, was heated under reflux for 5 hours. The color of the mixture was turned from black-green into light yellow with the evolution of hydrogen sulfide gas. A white precipitate was isolated by pouring the reaction mixture into 10 ml of ice water with acidification by 10 drops of concentrated hydrochloric acid. Recrystallization of the crude from hot ethanol afforded yellow crystals of a derivative. Yield 88%, M.p 248-250 C°, M.wt 193.1 g/mol, $R_f = 0.66$ (ethyl acetate: acetonitrile, 1:2). FT-IR (KBr, cm⁻¹): v (NH₂) *asym.* and sym. (3400 and 3380), v (NH) (3170), v(S-H) (2580), v(C=S) (1075).

2.4. Synthesis of (E)-4-((4-bromobenzylidene)amino)-5-(pyridin-4-yl)-2,4-dihydro-3H-1,2,4-triazole-3-thione,L

Dissolving of A2 (1.293 gm., 0.01 mole) in 15 mL hot ethanol was gradually added to a (1.50 gm., 0.010 mole) of 4-bromobenzaldehyde in 10 drops of glacial acetic acid; the mixture was refluxed for 6 hours, and then the reaction



كلية التربية الاساسية – الجامعة المستنصرية

Journal of the College of Basic Education

Vol.31 (NO. 131) 2025, pp. 55-80



was controlled using TLC. After keeping the mixture to settle overnight at room temperature. The precipitate was filtered and washed with hot ethanol, dried to obtain the ligand L. M.p. 300-302 C°, M.wt. 359.90 g/mol, Rf = 0.77 (ethyl acetate: acetonitrile, 1:2), Scheme 1.

Scheme 1. Preparation of 1,2,4-triazole ligand, L.

2. 5. Synthesis of the metal complexes C1-C4

2. 5.1. Cobalt (II) Complex C1

Complex C1 was synthesized by dissolving L (0.359 gm., 1 m mole) in a hot mixture of ethanol (20 mL) and mixing it with a solution of metal ion $CoCl_2.6H_2O$ (0.238 g, 1 m mole) in 20 mL ethanol in a 1:1 ratio of metal to ligand. The mixture was heated in a water bath with stirring for 60 minutes; the green solid complex was formed after cooling and the addition of 10 mL of diethyl ether. The filtered complex was washed several times with cold water and ethanol and dried in air and the oven for 3 hours. Color: pale green; Yield: 61%; M.P.: 344-346°C; FT-IR v (cm-1): 3500 (OH₂), 3230 (N-H), 1580 (C=N), 1220 (C=S), 510 (M-N), 470 (M-O), 403 (M-OH₂).

2.5.2. Nickel (II) Complex C2

Complex C2 was synthesized by dissolving L (0.359 gm., 1 mmole) in a hot mixture of 10 mL and mixing with a solution of metal ion NiCl₂.6H₂O (0.237 gm., 1 mmole) in 10 mL ethanol in a 1:1 ratio of metal to ligand. The mixture refluxed for 2 hours, and the dark green complex was formed after cooling and addition of 10 mL of diethyl ether. The filtered complex was washed several times with cold water and ethanol and dried in air and the oven for 4 hours. Color: green; Yield: 90%; M.P.: 194-198°C; FT-IR v (cm-



مجلة كلية التربية الاساسية كلبةالتربيةالاساسية-الجامعةالمستنصره

Journal of the College of Basic Education

Vol.31 (NO. 131) 2025, pp. 55-80

1): 3550 (O-H, H₂O), 1615 (C=N-Py), 1590 (C=N-), 1230 (C=S), 490 (M-N), 433 (M-O), 400 (M-OH₂).

2.5.3. Copper (II) Complex C3

Complex C3 was synthesized by dissolving L (0.359 gm., 1 m mole) in hot mixture of (20 mL) and mixing with solution of metal ion CuCl₂.2H₂O (0.171 g., 1 mmole) in 10 mL ethanol in 1:1 ratio of metal to ligand. The mixture heated on water bath for 45 minutes, the solid complex was formed after cooling and addition of 10 mL of diethyl ether. The filtered complex was washed several times with cold water, ethanol and dried in air and oven for 4 hours, Color Olive; Yield 95 %; M.P 255-258 C^o, FT-IR υ (cm⁻¹): 3300(br) (O-H) , 1588 (C=N), 1218(m) ,1075 (m) (C=S), 560 (M-N), 460 (M-OH₂), Scheme 2.



Scheme 2 Synthesis of [MLCl₂(H₂O)].H₂O complexes 2.5.4. Zinc (II) Complex C4

The zinc(II) complex was synthesized by dissolving L (0.285 gm., 1 m mole) in hot mixture of (15 mL) and mixing with solution of metal ion ZnCl₂ (0.143 g., 1 mmole) in 10 mL ethanol in 1:1 ratio of metal to ligand. The mixture heated under reflux for 2 hours, the solid complex was formed after cooling and addition of 10mL of diethyl ether. The filtered complex was washed several times with cold water, ethanol and dried in air and oven for 4 hours, Color Off white; Yield 75 %; melting point 217-219 C⁰, FT-IR v (cm⁻)

حزيران (June (2025)



كلية التربية الاساسية – الجامعة المستنصرية

Journal of the College of Basic Education

Vol.31 (NO. 131) 2025, pp. 55-80



¹): 3200 (O-H), 3080 (OH₂), 1588 (C=N), 1210 (C=S), 445(Zn-N), 440 (Zn-O), Scheme 3.

Scheme 3 Synthesis of [ZnCl₂] complexes

2.6. Biological activity

The agar well diffusion method was used to detect the antibacterial activity of the prepared Schiff base, (E)-4-((4-bromobenzylidene) amino). -5-(pyridin-4yl)-2, 4-dihydro-3H-1, 2, 4-triazole-3-thione and its metal complexes (CuL and CoL) against various pathogens, including two strains of gram-positive bacteria (Staphylococcus aureus and Staphylococcus epidermidis), two strains of gram-negative bacteria (Escherichia coli and Klebsiella sp.), as well as against fungus such as *Candida albicans*, at the concentrations of 10^{-2} and 10⁻⁴ M according to Lewus et al. (1991) and Mahdi (2017). All of the bacterial isolates used in this study were grown in nutrient broth and incubated at 37C° for 18 to 24 hours. After the incubation period, 0.1 ml of each bacterial solution was applied to the nutrient agar surface and left for 24 hours at $37C^{\circ}$. A bacterial suspension with a moderate turbidity, which is approximately equivalent to 1.5x108 CFU/mL when compared to the standard turbidity solution, was obtained by adding a single colony to a test tube containing 5 mL of normal saline. A portion of the bacterial suspension was carefully transferred and evenly distributed on Mueller-Hinton agar medium using a sterile cotton swab, and it was then allowed to sit for ten minutes. In the prior agar layer, three wells per plate with a diameter of five millimeters were created. After detaching the agar discs, a micropipette was used to add 50 µl of the synthesized compounds to each well. After an 18hour period of incubation at $37C^{\circ}$, the diameter of the inhibitory zones on the plates was determined. The results were compared with those of common medications, such as fluconazole for Candida albicans, vancomycin

مجلت كليت التربيت الاساسيت





Journal of the College of Basic Education

Vol.31 (NO. 131) 2025, pp. 55-80

hydrochloride for gram-negative bacteria, and exigent for gram-positive bacteria. As a control, DMSO was employed.

2.7. Spectrophotometric (DPPH) assay

This assay was confirmed according to the modified procedure in the reported reference (29-30). A mixture of synthesized metal complexes (CuL and ZnL) and ascorbic acid (as a standard) at concentrations of (62.5, 125, 250, and 500 μ g/mL) were taken separately and added up to 0.25 mL of DPPH solution (0.13 mg DPPH/mL methanol); then the volume was completed to 1.5 mL with methanol. The last mixture was left to stand for 30 min in a tenebrous place. A control contained all reagents without a sample. The measurement of the absorbance at 517 nm against a blank was used to determine the DPPH radical scavenging activity. The following equation: DPPH scavenging effect = [(Ac - As) / Ac] × 100, where Ac refers to control reaction absorbance (0 μ g/ml) and as refers to test specimen absorbance.

3. Results and discussion:

The new Schiff base, (E)-4-((4-bromobenzylidene)amino)-5-(pyridin-4-yl)-2,4-dihydro-3H-1,2,4-triazole-3-thione, was synthesized with a high yield of 88% through the condensation of 4-amino-5-(4-pyridyl)-1,2,4-triazole-3-thiol with a solution of 4-bromobenzaldehyde in the presence of drops of glacial acetic acid as a catalyst, which accelerates the nucleophilic attack of the -NH₂ group on the carbon atom of 4-bromobenzaldehyde. The new Schiff base and its complexes were fully characterized using elemental analysis and various spectroscopic techniques. The metal content in the solid complexes (C1-C4) was determined using flame atomic absorption (FAAS). Solubility tests revealed that all complexes were insoluble in common organic solvents but fully soluble in DMF and DMSO. In contrast, the ligand was found to be soluble in most common organic solvents except (Et₂O) and insoluble in H₂O. Molar conductivity measurements of the complexes' solutions in DMSO indicated that they do not exhibit electrolytic properties, with values ranging between (14.79-22.5 Ω^{-1} .cm².mol⁻¹), confirming the proposed chemical formulas of the C1-C4 complexes. These results suggest that the synthesized metal complexes possess good thermal stability, non-electrolytic behavior, and a spatial structure consistent with theoretical expectations. Additionally, differences in physical and spectroscopic properties reflect the influence of chemical coordination on the behavior of these complexes, opening avenues for future studies on their potential applications in biological and pharmaceutical fields.

حزيران (2025) June

مجلى كليى التربية الاساسيي



مجلة كلية التربية الاساسية

Journal of the College of Basic Education

Vol.31 (NO. 131) 2025, pp. 55-80

Table 1- Analytical data of the ligand, L and its metal complexes C1-C4

No	General formula	M.wt	Color	Melting	Ω^{-1}
•		(g/mol)		Point C ^o	$Ohm^{-1}.cm^2.mol^{-1}$
А	$C_7H_7N_5S$	193.1	Yellow	248-250	
L	$C_{14}H_{10}BrN_5S$	359.90	Yellow	300-302	-
C1	$[Co(L)(H_2O)_2Cl_2]$	544-90	Green	344-346	15.8
C2	$[Ni(L)(H_2O)_2Cl_2Cl_2].H$	598.75	Orange	194-198	22.50
	$_2$ O				
C3	$[Cu(L)(H_2O)_2Cl_2]$	610.54	Green	255-258	17.20
C4	[ZnLCl ₂]	422.27	Off white	217-219	14.79

Table 2: Symbols, molecular formulas and names of the synthesizedLigand (L) and its complexes C1-C4

Sym.	Molecular formula	Name
A	C ₇ H ₇ N ₅ S	4-amino-5-(pyridine-4-yl)-4H-1,2,4-triazole-3-
		thione
L	$C_{14}H_{10}BrN_5S$	(E)-4-((4-bromobenzylidene)amino)-5-(pyridin-
		4-yl)-4H-1,2,4-triazole-3-thiol
C1	$[Co(L)(H_2O)_2Cl_2]$	[di chloro (E)-4-((4-bromobenzylidene)amino)-5-
		(pyridin-4-yl)-4H-1,2,4-triazole-3-thioldiaqua
		cobalt (II)]
C2	$[Ni(L)(H_2O)_2Cl_2].H_2O$	[di chloro (E)-4-((4-bromobenzylidene)amino)-5-
		(pyridin-4-yl)-4H-1,2,4-triazole-3-thiolnickel(II)]
		mono hydrate
C3	$[Cu(L)(H_2O)_2Cl_2].H_2O$	[di chloro (E)-4-((4-bromobenzylidene)amino)-5-
		(pyridin-4-yl)-4H-1,2,4-triazole-3-thioldiaqua
		copper (II)] di hydrate
C4	$[Zn(L)Cl_2]$	[di chloro (E)-4-((4-bromobenzylidene)amino)-5-
		(pyridin-4-yl)-4H-1,2,4-triazole-3-thiolzinc(II)]

3.1. Mass Spectra:

The potassium salt of dithiocarbamate (A1) resulted from addition carbon disulfide to isoniazid in KOH solution leads to appear good indication of MS spectrum at M/e=352 indicating the right structure of the salt structure, Figure 1.



كليت التربية الاساسية – الجامعة المستنصرية

Journal of the College of Basic Education

Vol.31 (NO. 131) 2025, pp. 55-80



Figure 1. MS spectrum of potassium-isonictontinhydrazine-1-carbonyldithiolate

The mass spectrum of the free ligand L displayed a parent ion peak at M/z = 359.1 and 361 due to the ionization the gas phase of the bromo derivative at high temperature with the effect of Br-79 and Br-81 isotopes which corresponds to (M⁺) confirming the molecular weight of the prepared ligand and confirms the condensation of 4-bromobenzaldehyde with 4-amino-1, 2, 4-triazole, A derivative in acidic medium of glacial acetic acid. As well as the base peak observed at M/z = 79 and m/z = 81 revealed the chemical structure of the prepared Schiff base. The summarized fragmentation pattern mechanism in MS spectrum is shown in scheme 4.

Scheme 4. Fragmentation mechanism of ligand in gas phase of MS spectrum





حلة كلمة الترسية الاساسمة

Journal of the College of Basic Education

Vol.31 (NO. 131) 2025, pp. 55-80



3.2. NMR spectra:

The ¹H-NMR spectrum of the synthesized Schiff base ligand (L) recorded in DMSO-d6 exhibited a characteristic singlet at 12.25 ppm, corresponding to the thiol (-SH) proton of the triazole ring, and a signal at 8.98 ppm attributed to the imine (-CH=N-) proton. Additionally, multiplet peaks observed in the range of 7.5-8.5 ppm were assigned to the aromatic protons of the pyridine and 4-bromophenyl rings, Figure (3).

The ¹³C-NMR spectrum, also recorded in DMSO-d6, confirmed the structural integrity of the ligand, displaying a significant peak at 168 ppm corresponding to the thiocarbonyl (-C=S) carbon and another at 150 ppm associated with the imine (-CH=N-) carbon. A peak at 23 ppm was attributed to the aliphatic methyl group attached to the pyrrole ring, while aromatic carbon signals appeared within the 120-135 ppm range, confirming the presence of the pyridine and 4-bromophenyl rings, Figure (4).

Upon complexation, noticeable shifts in the chemical shifts of thiol (-SH) and imine (-CH=N-) groups were observed, indicating coordination through nitrogen and sulfur atoms. These findings support the proposed chelation mechanism of the ligand with metal ions, reinforcing its bidentate binding nature.





Figure 3. H NMR spectrum of (L) in DMSO- d⁶







Journal of the College of Basic Education

Vol.31 (NO. 131) 2025, pp. 55-80

3.3. FT-IR spectra of ligand, L and its metal complexes:

The FT-IR spectrum is good spectral technique for characterization the functional groups in the 1, 2,4-triazole ligand and its complexes with cobalt(II), nickel(II) ,copper(II) and zinc(II). The main vibrational modes of IR spectrum of (L) ligand shows strong band at 1645 cm⁻¹ and absorptions at $(1223-1200 \text{ cm}^{-1})$ and 1070 cm⁻¹ assigning to v-C=N- and thioamide -C=S respectively, this new band is strong evidence for condensation of 2acetylpyrrole with the amino group –NH2 of 4-amino-1,2,4-triazole precursor [3.19]. However, the medium absorptions at around (1610-1575 cm⁻¹) are belonged to the stretching of v-C=N- pyridine ring attached directly to triazole at C-5 atom, Figure 5. The comparison of IR spectra of (C1-C4) complexes with the spectrum of L ligand is good proof for appearance of new bands at lower frequencies of (400-600 cm⁻¹) which are assigned to the coordination bonds of (Cu-N, Co-N, Ni-N) and (Cu-S, Co-S Ni-S and Zn-S) respectively. As well as the lowering in the vibrational modes of v-C=Nimmine group to the region (1550-1595 cm⁻¹) reveals the coordination bonding of metal ions to nitrogen atoms of immine moiety [6, 18]. Besides that, the shifting of frequencies of v-C=S to less values at (1080-175 cm⁻¹) in all spectra of complexes revealed the participation of sulfur atom in linkage with the metal ions via (M-S) bonding, Figure (6).



Figure 5. FT-IR spectrum of ligand (L)

حزيران (2025) June

مجلة كلية التربية الاساسية



Journal of the College of Basic Education Vol.31 (NO. 131) 2025, pp. 55-80



Figure 6. FT-IR spectrum of $[CuL (H_2O)_2Cl_2]$ complex 3.4. Electronic Spectra and Magnetic Susceptibility of Metal Complexes: The electronic spectra of ligand and its complexes are summarized in Table electronic spectrum of (E)-4-((4-bromobenzylidene)amino)-5-3. The (pyridin-4-yl)-2,4-dihydro-3H-1,2,4-triazole-3-thione in absolute ethanol recorded two intense bands at 250 and 375 nm respectively, these are assigned to ligand spectra of the chromophore groups of -C=N and -C=S, Figure 7. The green solution of cobalt (II) complex in ethanol displayed weak intense bands in the regions 650 nm, 560nm and 400 nm which are attributed to the transition ${}^{4}T_{1g} \rightarrow {}^{4}T_{2g}(F)$ (v₁), ${}^{4}T_{1g} \rightarrow {}^{4}A_{2g}(F)$ (v₂), and ${}^{4}T_{1g} \rightarrow {}^{4}T_{1g}(P)$ (v₃), respectively. The three spin-allowed transitions in the visible region for Co (II) complex investigate the high-spin octahedral cobalt (II) complexes with ground term ⁴F [17, 22]. which mainly splits to three microstates from the stable ground ${}^{4}T_{1g}$ (F), therefore the application of T-S (Tanabe-Sugano) diagram leads to intercepts y_1 , y_2 at E_1/B' , E_2/B' to provide Racah parameter (B') which was found to be 600 cm^{-1} and the crystal field splitting energy 10Dq found to be 14880 cm⁻¹, indicating the high spin octahedral environment around Co (II) ion, Figure 8. The covalence

حزيران (June (2025)



حلة كلمة الترسة الاساسمة بت–الحامعتال برالتربيب الاساس

Journal of the College of Basic Education

Vol.31 (NO. 131) 2025, pp. 55-80

parameter (β) was calculated and found to be 0.80 indicating the high degree of interaction between s, p and d-orbitals of ligand and metal ions with synergetic effect, hence inter electronic repulsion has been decreased during the process of chelation. The green solution of nickel(II) complex in DMF showed three spin-allowed transitions at around 725 nm, 610 nm and 440 nm which are associated with ${}^{3}A_{2g} \rightarrow {}^{3}T_{2g}(F)$ (v₁), ${}^{3}A_{2g} \rightarrow {}^{3}T_{1g}(F)$ (v₂), and $^{3}A_{2g} \rightarrow ^{3}T_{1g}(P)$ (v₃) transitions, respectively. The application of T-S diagram on UV-Visible spectrum through the ratio v_2/v_1 found to be 1.45 which results in the values of y_1 , y_2 , x_1 intercepts at E_1/B' , E_2/B' and Dq/B' was found to be 28, 13, and 21, respectively. The calculation refer B' equal to 695 cm⁻¹ and 10Dq equal to 16430 cm⁻¹ indicating octahedral environment around nickel(II) ion [17,18]. As well as electron-electron repletion in d^8 configuration was decreased through overlapping with thione (-C=S) and immine (-C=N-) groups, this was confirmed from nephelauxetic effect found to be 0.70. The solid nickel(II) complex recorded effective magnetic moment of 2.85 BM which is associated with the two unpaired electrons (t_{2g}^{6}, e_{g}^{2}) being greater than the spin-only value (2.05 BM) and in well agreement of its octahedral geometry with orbital contribution to the magnetic moment. The greenish-yellow solution copper (II) in spectrosol methanol (0.001 M) displayed one weak shoulder band at 590 nm which is ascribed with ${}^{2}\text{Eg} \rightarrow {}^{2}\text{T}_{2}\text{g}$ transition, Figure 5. As well as the high intense peaks at 390 nm is mainly assigned to MLCT band, respectively. The copper (II) ion with the electronic configuration d^9 has one unpaired electron in the 3*d*-orbital. Therefore, its spin-only magnetic moment value should be 1.75 B.M. However, the CuL complex at room temperature recorded an effective magnetic moment value of 1.78 BM, indicating the z-out elongation with octahedral geometry [20-22]. The zinc (II) complex having a d^{10} configuration favors the formation of complexes with tetrahedral geometry. The electronic spectrum of C4 displayed three high intensity bands at 375 and 290 nm are also assigned to $Cl \rightarrow Zn^{2+}$ and $\pi - \pi^{*}$ transitions, respectively [20, 25].



M-L1 dlu - RawData-002

Figure 7. UV-Visible spectrum of ligand in ethanol (0.001 M).



Figure 8. UV- Visible spectrum of C1 complex in DMF (0.001 M).

حزيران (2025) June

مجلم كليم التربيم الاساسيم



حلة كلمة الترسة الاساسمة

Journal of the College of Basic Education

Vol.31 (NO. 131) 2025, pp. 55-80

Symbol	Bands, λ nm (cm ⁻¹)	Band assignment	Geometry	Molar conductivity (S/mol)	Magnetic moment, µ (BM)
L	250 (40000) 375 (26666)	$\pi \rightarrow \pi^*$ $n \rightarrow \pi^*$	-	-	-
C1	650 (15385) 560(17858) 400 (25000) 380 (26316)	${}^{4}T_{1}g \rightarrow {}^{4}T_{2}g(F)$ ${}^{4}T_{1}g \rightarrow {}^{4}A_{2}g$ (F) ${}^{4}T_{1}g \rightarrow {}^{4}T_{1}g$ (P) CT	Octahedral	[40]	4.36
C2	725, (13793) 610 (16393) 445(22472)	${}^{3}A_{2}g \rightarrow {}^{3}T_{2}g$ (F) ${}^{3}A_{2}g \rightarrow {}^{3}T_{1}g$ (F) ${}^{3}A_{2}g \rightarrow {}^{3}T_{1}g(P)$	Octahedral	[33]	2.90
C3	590 (16950) 390 (25642) 260 (38462)	$2Eg \rightarrow 2T_2g$ CT $\pi \rightarrow \pi^*$	Distorted octahedral	[39]	1.78
C4	355(28170) 310(32258)	$\begin{array}{c} \text{Cl} \rightarrow \text{Zn}^{2+} \\ \pi \rightarrow \pi^* \end{array}$	Tetrahedral	[15]	0.0

Table 3. Electronic spectra of ligand and its complexes

3.5. Biological Activity

The antimicrobial activity of the prepared Schiff base, (E)-4-((4bromobenzylidene) amino)-5-(pyridin-4-yl)-2, 4-dihydro-3H-1, 2, 4-triazole-3-thione (L) and its metal complexes (CuL and CoL) were tested against various pathogens, including gram-positive bacteria (*Staphylococcus aureus* and *Staphylococcus epidermidis*), gram-negative bacteria (*Escherichia coli* and *Klebsiella sp.*), and fungus (*Candida albicans*). Exigent, vancomycin hydrochloride, and fluconazole were used as standard drugs. The diameter of the inhibitory zone was measured to reveal the ability of the prepared compounds to inhibit the growth of microorganisms. It was observed that the 1, 2, 4-triazole ligand, copper (II) complex, and cobalt (II) complex have highly effective inhibitory activity against positive and negative bacteria and fungi, with the highest inhibitory activity for the copper (II) complex at concentrations of 10^{-2} M and 10^{-4} M; the diameter of the inhibition zone ranges between 21 and 27 mm (Table 4), (Figure 9), (Figure 10). This result



حلة كلمة التربمة الإساسمة مّ التربيـة الاساسيـة – الجامعـة الم

Journal of the College of Basic Education

Vol.31 (NO. 131) 2025, pp. 55-80

probably has to do with the complexes' increased lipophilicity, which slowed the microbes' regular cellular functions and enhanced their antimicrobial activity or chelating powers. (1).The biological activity of Schiff base solution in DMSO with multiple coordination centers primarily stems from their ability to bind to essential metal ions utilized by pathogenic bacteria in their metabolism, thereby disrupting their biological processes. This mechanism is well-established in the literature [27, 28]. For copper (II) and zinc (II) complexes, their biological activity is primarily attributed to the impact of the metal ion on the cell membranes of bacterial strains and the fungus. Metal complexes have a preference for penetrating the lipid layer of cell membranes based on the Tweedy chelation theory. This mode of action allows the complexes to exert their antimicrobial effects,[33].

Table (4) The inhibition zones (mm) of anti-bacterial and anti-fungal activity for ligands and its metal complexes

Compounds microorganisms	Conc.	Fungus	Gram negative bacteria		Gram positive bacteria	
		Candida	Escherichia	Klebsiella	Staphylococcus	Staphylococcus
		albicans	coli	sp.	aureus	epidermidis
T (5)	10^{-2}	24	24	20	25	26
L(3)	10-4	18	20	24	19	24
\mathbf{C} of (6)	10^{-2}	20	23	10	20	24
COL(0)	10-4	17	21	10	18	13
CI (7)	10^{-2}	21	26	24	27	27
CuL(7)	10 ⁻⁴	26	23	21	25	24



مجلة كلية التربية الاساسية

Journal of the College of Basic Education

Vol.31 (NO. 131) 2025, pp. 55-80





Figure (9) Inhibition zone of gram- positive and gram-negative bacteria with different concentration of L, CoL and CuL. Conc. (10⁻²)



Figure (10) Inhibition zone of gram- positive and gram-negative bacteria with different concentration of L, CoL and CuL. Conc. (10⁻⁴)

حزيران (2025) June

مجلى كليت التربيت الاساسيت





Journal of the College of Basic Education

Vol.31 (NO. 131) 2025, pp. 55-80

3.6. Spectrophotometric (DPPH) assay

The antioxidant activities of some of the prepared complexes (CuL and ZnL) were listed in Table (5) and Figure (11) by measuring their abilities to donate hydrogen or scavenge DPPH radicals. The results also showed that the higher the concentration of the complex, the greater its antioxidant activity, as the maximum effectiveness of the complexes (75.670 for ZnL and 69.409 for CuL) versus 93.406 for ascorbic acid at 500 µg/mL, while the least antioxidant activity appeared at a concentration of 62.5 µg/mL (63.685 for ZnL, 65.831 for CuL, and 85.787). The antioxidant activity of CuL and ZnL can be explained by their possession of donor groups (NH2, NH, and SH), which can act as scavengers of free radicals and are able to resist oxidation. While the presence of electron-withdrawing groups, including the phenyl ring, and Br decreases antioxidant activity, [34].

Table 5: The activity of antioxidant of the prepare	d compounds
---	-------------

Compounds	DPPH Assay				
Con.	62.5 µg/mL	125 µg/mL	250 µg/mL	500 µg/mL	
Sample CuL	65.831	66.726	67.084	69.409	
Sample ZnL	63.685	67.084	74.239	75.670	
Ascorbic acid	85.787	90.974	91.690	93.406	



Figure (11) Antioxidant activity of some synthesized compounds 4. Conclusions:

According to the results obtained from elemental analyses, NMR,FT-IR, EIS-MS spectra and magnetic moments , the complexes of cobalt(II),nickel(II) and copper(II) with the new ligand, were octahedral in 1:1 mole ratio and chemical formula, $[ML(H_2O)_2Cl_2],L=(E)-4-((4-bromobenzylidene)amino)-5-$





Journal of the College of Basic Education

Vol.31 (NO. 131) 2025, pp. 55-80

(pyridin-4-yl)-2,4-dihydro-3H-1,2,4-triazole-3-thione. However, the zinc(II) complex was adopted tetrahedral geoemtry in [ZnLCl₂] chemical formula. As well as the tautomerism of thioamide with thiol could be characterized on the basis of FT-IR spectra and H-NMR spectra which assign the presence of absorptions of acidic protons of –SH and absorption of C-13 NMR of C-S at chemical shifts at a round (175-185 ppm). The new ligand was formed up on heating under reflux with good yield as mentioned in the practical part. As well as the metal complexes of cobalt(II), nickel(II), copper(II) and zinc(II) were isolated in good yield up on direct reactions of their metal chlorides with the free Schiff base in hot ethanol. The analytical data and spectroscopic results of FT-IR,NMR and MS spectra revealed the agreement of empirical data with the observed data. The octahedral geometry around Co(II), Ni(II) and Cu(II) was investigated on the basis of UV-Visible spectra and magnetic moments measurements, Figure (12).



Figure 12. Octahedral geometry of Cu (II) complexes

In vitro assays revealed that CuL has the highest antibacterial and antifungal activity against pathogens. As well as ZnL, it has the highest antioxidant activity against the DPPH radical. These findings may aid in the development of new antioxidant, antifungal, and antibacterial compounds.

Acknowledgment

Authors are so grateful for the Mustansiriyah University, College of Science, Chemistry Department for carrying out the measurements of FT-IR, MS and magnetic moments measurements. Furthermore, we are grateful for the members of Chemistry Department, Basra University for the measuring NMR spectra of the prepared 1,2,4-triazole derivatives.



بت الترييبي الاساسيين – الجامعين الم

Journal of the College of Basic Education

Vol.31 (NO. 131) 2025, pp. 55-80

References

[1]. Uygun Y, Bayrak H, Özkan H. Synthesis and biological activities of methylenebis-4H-1,2,4-triazole derivatives. Turkish Journal of Chemistry **2013**; 37 (5): 812-823. <u>https://doi.org/10.3906/kim-1212-66.</u>

[2]. Abass, J. Waleed, Asim Balakit, A-jibouri M.N., Design, synthesis, characterization, antioxidant, antiproliferative activity and molecular docking studies of new transition metal complexes of 1,2,4-triazole as combretastatin A-4 analogues, J. Mol. Struc. **2023**, 1274(2), 134437.

[3]. Abdallah A.M. N.G. Zaki, A.M. El Kerdawy, W.H. Mahmoud, G.G. Mohamed, Coordination behavior of cocaine toward *d*-block metal ions: Synthesis, spectral analysis, density functional theory (DFT) studies, and chemotherapeutic activity, Journal of Molecular Structure **2023**; 1293, 136301.

[4].Shivarama Holla B, Veerendra B, Shivananda MK, Poojary B. Synthesis characterization and anticancer activity studies on some Mannich bases derived from 1,2,4-triazoles. Eur J Med Chem. 2003 Jul-Aug;38(7-8):759-67. doi: 10.1016/s0223-5234(03)00128-4. PMID: 12932907.

[5]. Hien T.T. Phung, Hoang-Minh Vu, Minh Quang H. Ly, Hung Huy Nguyen, Thu Hang Nguyen, Huyen T.T. Luong, Van Ha Nguyen, Gold(I) and gold(III) complexes of 1,2,4-triazole-derived N-heterocyclic carbenes: Synthesis, characterization, in-vitro anticancer and antiinflammatorystudies,Inorg.Chem.Comm.,2023,154110898,https://doi.org/10.1016/j.inoche.2023.110898.

[6]. Zilolakhon Chalaboeva, Surayyo Razzokova, Shakhnoza Kadirova, Singh, Adevinka W.B.Wan Nik, Ambrish Sikiru Yusuff. Elvor Berdimurodov, Ilyos Eliboev, Uzma Haseen. Ahmad Hosseini-Bandegharaei, Synthesis and characterization of a zinc-triazole coordination complex with potent antimicrobial and anticancer properties, J. Molec. Struc., 2025, 1321(3), 139978, https://doi.org/10.1016/j.molstruc.2024.139978.

[7]. Al-Mansury S., A .A . Balakit, F.F. Alkazazz, R.A. Ghaleb, Synthesis, antiproliferative and antioxidant activity of 3-mercapto-1,2,4-triazole derivatives as combretastatin A-4 analogues, *Pharm. Chem. J.* **2021**; 55 (6), 556–565.

[8]. Przemysław Kołodziej, Monika Wujec, Maria Doligalska, Anna Makuch-Kocka, Dmytro Khylyuk, Jacek Bogucki, Marta Demkowska-Kutrzepa, Monika Roczeń-Karczmarz, Maria Studzińska, Krzysztof Tomczuk, Marcin Kocki, Patrycja Reszka-Kocka, Sebastian Granica, Rafał





Journal of the College of Basic Education

Vol.31 (NO. 131) 2025, pp. 55-80

Typek, Andrzej L. Dawidowicz, Janusz Kocki, Anna Bogucka-

Kocka,Synthesis and anthelmintic activity of novel thiosemicarbazide and

1,2,4-triazole derivatives: In vitro, in vivo, and in silico study,J. of Adv.

Res.,2024,60,57-73ISSN 2090-

1232, https://doi.org/10.1016/j.jare.2023.07.004.

[9]. Mitra Ghassemzadeh, Fatemeh Faghani, Saeed Shirkhani, Farshid Mohsenzadeh, Kioumars Aghapoor, Azar Tahghighi, Bernhard Neumüller, Novel cobalt(II) complex of a new 24-membered macrocyclic bis-Schiff base bearing 3-mercapto-1,2,4-triazole: Synthesis, characterization, thermal and biological investigations, J. Molec. Struc.,2024,136573,https://doi.org/10.1016/j.molstruc.2023.136573.

[10]. D. Palke, Synthesis, Physicochemical and Biological studies of transition metal complexes of DHA Schiff bases of aromatic amine, *Journal of Applied Organometallic Chemistry*, **2022**, *2*, 81-88.

[11]. Gaber M., H.A. El-Ghamry, S.K. Fathalla, Synthesis, structural identification, DNA interaction and biological studies of divalent Mn, Co and Ni chelates of 3-amino-5-mercapto-1,2,4-triazole azo ligand, Appl. Organomet. Chem.**2020**, 34, 1–12.

[12]. C. Duru, I. Duru, Computational investigation of infrared vibrational frequency Shift modes in Schiff base-transition metal complexes, *Journal of Applied Organometallic Chemistry*, **2022**, *2*, 54-65.

[13]. Hasan M.M., H. Md. Ahsan, P. Saha, J. Naime, A. Kumar Das, M.A. Asraf, A.B.M. Nazmul Islam, Antioxidant, antibacterial and electrochemical activity of (E)-N-(4 (dimethylamino) benzylidene)-4H- 1,2,4-triazol-4-amine ligand and its transition metal complexes, Results Chem. **2021**, 3,100115.

[14]. Matin, M. Matin, P. Md. R. Rahman, T. Ben Hadda, F. A. Almalki, S. Mahmud, M. M. Ghoneim, M. Alruwaily, and S. Alshehri, "Triazoles and their derivatives: Chemistry, synthesis, and therapeutic applications," *Frontiers in molecular biosciences*, **2022**, 9, 1-8.

[15]. Nada, A. Talib, A.Badir and Mossa, Z. Synthesis and Characterization of a Novel Azo-Dye Schiff Base and Its Metal Ion Complexes Based on 1,2,4-Triazole Derivatives, *Indones. J. Chem*, **2023**, 23(6), 1555-1567.

[16]. Badrzadeh Shekarab, A., Gharahchoulou, N., Banisadr, S. S., Bayanati, M., Mahboubi-Rabbani, M., Ketabforoosh, S. H., Azizian, H., Almasirad, A. (2024). 'Novel Mefenamic Acid Analogs Featuring 4-Thiazolidinone Moiety: Design, Synthesis, In Silico Modeling and Biological Evaluation', *Journal of*



كلية التربية الاساسية – الجامعة المستنصرية

Journal of the College of Basic Education

Vol.31 (NO. 131) 2025, pp. 55-80

Applied Organometallic Chemistry, 4(2), pp. 119-134. doi: 10.48309/jaoc.**2024**.440607.1162.

[17]. Bader, A.T., Rasheed, N.A., Aljeboree, M., and Alkaiml, A.F., Synthesis, characterization of new 5-(4-nitrophenyl)-4-((4-phenoxybenzylidene)amino)-4H-1,2,4-triazole-3-thiol metal complexes and study of the antibacterial activity, *J. Phys.: Conf. Ser.***2020**, 1664, 012100.

[18]. Oderinlo, O.O., Jordaan, A., Seldon, R., Isaacs, M., Hoppe, H.C., Warner, D.F., Tukulula, M., and Khanye, S.D., Hydrazone-tethered 5-(pyridin-4-yl)-4H-1,2,4-triazole-3-thiol hybrids: Synthesis,

characterisation, in silico ADME studies, and in vitro antimycobacterial evaluation and cytotoxicity, ChemMedChem, **2023**, 18 (6), 560-572.

[19]. Deswal, Y., Asija, S., Tufail, A. Metal Complexes of 1,2,4-Triazole Based Ligand: Synthesis, Structural Elucidation, DFT Calculations, Alpha-Amylase and Alpha-Glucosidase Inhibitory Activity Along with Molecular Docking Studies. *J Inorg Organomet Polym*.**2024**,34, 144–160.

[20]. Hari, S., Swaroop, T.R., Preetham, H.D., Mohan, C.D., Muddegowda, U., Basappa, S., Sethi, G., and Rangappa, K.S.,Synthesis, cytotoxic and heparanase inhibition studies of 5-oxo-1-arylpyrrolidine-3-carboxamides of hydrazides and 4-amino-5-aryl-4H-1,2,4-triazole-3-thiol, *Curr. Org. Synth.*, **2020**,17 (3), 243–250.

[21]. Todd W. Kajdan, Philip J. Squattrito, Surendra N. Dubey, Coordination geometries of bis(4-amino-3-ethyl-1,2,4-triazole-5-thione) complexes of Mn, Fe, Co, Ni, Cu and Zn: relationship to the 3-methyl

analogs, Inorg. Chim. Act. 2000, 300-302, 1082-

1089, https://doi.org/10.1016/S0020-1693(99)00534-4.

[22]. Pallai, D. B., Badekar, R. R., Momin, K. I., Bondge, A. S., Nagargoje, G. R., Kadam, P. D., Panchgalle, S. P., More, V. S. (2024). 'Synthesis, Spectral and Biological Studies of Co(II), Fe(II), Ni(II), Cu(II), Pd(II), Mn(II), Hg(II), Cd(II), and Zn(II) Complexes Derived from Benzohydrazide Schiff Base', *Journal of Applied Organometallic Chemistry*, 4(1), pp. 76-87. doi: 10.48309/jaoc.**2024**.434283.1156.

[25].Singh K., Y. Kumar, P. Puri, C. Sharma, K.R. Aneja , Synthesis, spectroscopic, thermal and antimicrobial studies of Co(II), Ni(II), Cu(II) and Zn(II) complexes with Schiff base derived from 4- amino-3-mercapto-6-methyl-5-oxo-1,2,4-triazine, Med. Chem. Res. **2012**,21 , 1708–1716.

[26]. Panda, K.C., Ravi Kumar, B.V.V., and Sahoo, B.M., Microwave induced synthesis of 1,2,4-triazole derivatives and study of their anthelmintic



كلية التربية الاساسية – الجامعة المستنصرية

Journal of the College of Basic Education Vol.31 (No

Vol.31 (NO. 131) 2025, pp. 55-80

and anti-microbial activities, Res. J. Pharm. Technol., 2022,15 (12), 5746–5750.

[27]. Sabzi R.E., A. Nikoo, Y. Nikzad, M. Bahram, K. Akbari, N. Samadi, Synthesis and Determination of Stability Constants of a New Bis-1,2,4-triazole Ligand for Complexation with Zinc(II), Copper(II) and Nickel(II) in Acetonitrile, *Am. J. Anal. Chem.* **2012**,3,437–442.

[28]. Sumra, S.H., Ramzan, S., Mustafa G., Complexes of Imino-1,2,4-triazole Derivative with Transition Metals: Synthesis and Antibacterial Study. *Russ J Gen Chem.* **2018**, 88, 1707–1711.

[29]. Valko M., Leibfritz D., Moncol J., Cronin M.T., Mazur M., Telser J. Free radicals and antioxidants in normal physiological functions and human disease. Int. J. Biochem. Cell Biol. 2007;39:44–84. doi: 10.1016/j.biocel.2006.07.001.

[30]. Halliwell B. Free radicals and antioxidants–Quo vadis? Trends Pharmacol. Sci. 2011;32:125–130. doi: 10.1016/j.tips.2010.12.002.

[31]. Gaber, M., El-Wakiel, N. A., El-Ghamry, H., & Fathalla, S. K. (2014). Synthesis, spectroscopic characterization, DNA interaction and biological activities of Mn(II), Co(II), Ni(II) and Cu(II) complexes with [(1H-1,2,4-triazole-3-ylimino)methyl]naphthalene-2-ol. Journal of Molecular Structure, 1076,https://doi.org//10.1016/j.molstr.2014.07.027.

[32]. Yüksek, H., Koca, E., Gürsoy-Kol, Ö., Akyıldırım, O., & Çelebier, M. (2015). Synthesis, in vitro antioxidant activity, and physicochemical properties of novel 4,5-dihydro-1H-1,2,4-triazol-5-one derivatives. Journal of Molecular Liquids, 206, 359–366.

https://doi.org/10.1016/j.molliq.2014.10.038.

[33]. Holmes A.H., Moore L.S.P., Sundsfjord A., Steinbakk M., Regmi S., Karkey A., Guerin P.J., Piddock L.J.V. Understanding the Mechanisms and Drivers of Antimicrobial Resistance. Lancet. 2016;357:176–187. doi: 10.1016/S0140-6736(15)00473-0.

[34]. Hamd, A. H., & Al-Lami, N. (2024). Antioxidant and antimicrobial activities of some new synthesized triazole, thiazolone, and thiazine containing fused rings of imidazopyridine. Iraqi Journal of Science, 65(5), 2373–2384. <u>https://doi.org/10.24996/ijs.2024.65.5.2</u>.





Journal of the College of Basic Education

Vol.31 (NO. 131) 2025, pp. 55-80

تحضير، توصيف، ونشاط مضاد للأكسدة لبعض معقدات الفلزات مع 4-((4-بروموبنزيليدين)أمينو)-5-(بيريدين-4-يل) - 4 H -((2- ترايازول-3-ثيول آمنة علي شناتي، ألاستاذ الدكتور محمود نجم الجبوري، ألاستاذ مساعد نجلاء قاسم مفتن الجامعة المستنصرية، كلية العلوم، قسم الكيمياء، العراق، بغداد المؤلف المراسل: mahmoud_inor71@uomustansiriyah.edu.iq

مستخلص البحث: يصف هذا البحث تحضير والتوصيف الطيفي لمعقدات الكوبالت (II)، والنيكل (II)، والنحاس (II)، والزنك (II) مع الليكاند 4-((4-بروموبنزيليدين)أمينو)-5-(بيريدين-4-يل) - 4,2,1- H 4 ترايازول-3-ثيول (L) . تم تحصير الليكاند الجديد من خلال ثلاث خطوات متتالية: الاول تحصير ملح البوتاسيوم من الإيزونيازيد باستخدام محلول قلوى من ثاني كبريتيد الكربون. يتبعه إغلاق الحلقة لملّح البوتاسيوم باستخدام كمية زائدة من هيدرات المهيدرازين بالخطوة الآخيرة يُتضمن تكثَّيف 4-أمينو-1,2,4-تريازول مع 4-بروموبنز الديهيد في حمض الأسيتيك الجليدي كمحفز، مما أدى إلى الحصول على كمية جيدة من قاعدة شيف الجديدة (L). تمت در اسة الخصائص الفيزيائية والطيفية لليكاند ومعقداته بشكل دقيق. كما تم توصيف المعقدات الجديدة باستخدام تقنيات تحليلية متعددة، منها: مطيافية الأشعة تحت الحمراء (FT-IR) و الأشعة فوق البنفسجية-المرئية (UV-Vis) و مطيافية الرنين النووي المغناطيسي للبروتون (H-NMR) والكربون (¹³C-NMR) والتحليل العنصري (CHNS) و مطيافية الامتصاص الذري اللهبي (FAA) . كما تم تحديد بعض الخصائص الفيزيائية والكيميائية، مثل درجة الانصهار، القابلية المغناطيسية، والتوصيلية المولارية عند درجة حرارة الغرفة. أظهرت النتائج أن المعقدات C1 وC2 وC3 تتخذ بنية ثمانية السطوح بنسبة مولية (1:1) بين الفلز والليكاند، حيث يتصرف الليكاند كربيطة ثنائية السن ترتبط بأيون الفلز من خلال ذرة النيتروجين في مجموعة الأزوميثين وذرة الكبريت في مجموعة الثيون. بينما أظهرت معقدات الفلزات الثنائية التكافر بنية ثمانية السطوح للكوبالت (II)، والنيكل (II)، والنحاس (II)، في حين كان مُعقد الزنكُ (II) ذا بنية رباعية السطوح. علاوة على ذلك، تم فُحص النشاط البُيولُوجي لمحاليل الليكند والمعقدات المعدنية (CoL and CuL) ضد بعض البكتيريا والفطريات اضهرت النتائج ان كل من الليكند الحر ومعقد النحاس كانوا اكثر فعالية تثبيطية ضد البكتيريا والفطريات مقارنة بمعقد الكوبلت. يمكن أن توفر هذه النتائج منصة مهمة لتصميم مركبات جديدة ذات نشاط مضاد للبكتيريا ومضاد للفطريات . كما تضمنت هذه الدراسة دراسة النشاط المضاد للأكسدة للمعقدات المعدنية المحضرة (ZnL و CuL) باستخدام اختبار DPPH ضد حامض الأسكوربيك كعامل مرجعي مضاد للأكسدة. أظهرت النتائج أن جميع المعقدات المعدنية المحضرة لها نشاط مضاد للأكسدة اقل مقارنة بحمض الاسكوربيك. وكذلك وجد أن معقد الزنك (II) له أعلى نشاط مضاد للأكسدة مقارنة بمعقد النحاس (II). كما اضبهرت الدراسة ان أعلى قدرة كسح لمعقد الزنك (II) ومعقد Cu II ، كانت 75.670% و 69.409% على التوالي عند تركيز. 500 ميكروغرام / مل.

مجلى كليى التربية الاساسيي